

สรุปรายงานการขึ้นทะเบียนห้องปฏิบัติการ

ขอข่ายการรับรองการขึ้นทะเบียนห้องปฏิบัติการที่มีความสามารถตามข้อกำหนดคุณภาพตาม

มาตรฐานสากล ISO/IEC 17025 ของสำนักงานมาตรฐานสินค้าเกษตรและอาหารแห่งชาติ (มกอช.)

ชื่อห้องปฏิบัติการ : ห้องปฏิบัติการทดสอบ บริษัท ซีพีเอฟ (ประเทศไทย) จำกัด (มหาชน) (สมุทรสาคร สาขาที่ 106)

ที่อยู่ : 82/12-14 หมู่ที่ 4 ตำบลบางไทร ต.อ.เมืองสมุทรสาคร จังหวัดสมุทรสาคร 74000

รหัสมาตรฐาน : กษ 07-29-9999-0086-000

รายการทดสอบทางจุลชีววิทยา

ชนิดตัวอย่าง	รายการตรวจสอบ	วิธีทดสอบ
1. Shrimp (Cooked, Raw, Fresh, Frozen, Processed)	Yeast & Mold	AOAC (2016) 2002.11
	<i>Vibrio cholerae</i>	FDA BAM online (2004) Chapter 9
	<i>Vibrio parahaemolyticus</i>	- FDA BAM online (2004) Chapter 9 - In-house method TM-MI-004 based on FDA BAM online (2004) Chapter 9
	<i>Staphylococcus aureus</i>	3MTM Petrifilm S.aureus, AFNOR Certificate No. 3M-01/09-04/03A FDA BAM online (2016) Chapter 12
	β -glucuronidase positive <i>Escherichia coli</i>	ISO 16649-3 : 2015
	<i>Escherichia coli</i>	3MTM Petrifilm E.coli, AFNOR Certificate No. 3M-01/08-06/01
	Coliforms	3MTM Petrifilm coliform, AFNOR Certificate No. 3M-01/2-09/89A
	Total Viable Count (TVC)	AOAC (2016) 990.12
	<i>Listeria monocytogenes</i>	VIDAS® LMX <i>Listeria monocytogenes</i> , AFNOR Certificate No. BIO 12/27-02/10
2. Seafood and Seafood products (Fresh, Frozen, Processed)	<i>Salmonella</i> spp.	VIDAS® Easy <i>Salmonella</i> , AFNOR Certificate No. BIO 12/16-09/05

ชนิดตัวอย่าง	รายการตรวจสอบ	วิธีทดสอบ
3. Ready to eat Products (Chilled, Frozen, Cooked)	Presumptive <i>Bacillus cereus</i>	ISO 7932 : 2004
	<i>Clostridium perfringens</i>	FDA BAM online (2011) Chapter 16
	<i>Salmonella</i> spp.	VIDAS® Easy Salmonella, AFNOR Certificate No. BIO 12/16-09/05
	<i>Listeria monocytogenes</i>	iQ-Check™ <i>Listeria monocytogenes</i> II, NordVal Certificate No.037
	<i>Listeria</i> spp.	VIDAS® UP <i>Listeria</i> , AFNOR Certificate No. BIO 12/33-05/12
	Yeast & Mold	AOAC (2016) 2002.11
	<i>Vibrio cholerae</i>	FDA BAM online (2004) Chapter 9
	<i>Vibrio parahaemolyticus</i>	- FDA BAM online (2004) Chapter 9 - In-house method TM-MI-004 based on FDA BAM online (2004) Chapter 9
	<i>Staphylococcus aureus</i>	- 3MTM Petrifilm <i>S.aureus</i> , AFNOR Certificate No. 3M-01/09-04/03A - FDA BAM online (2016) Chapter 12
	β-glucuronidase positive <i>Escherichia coli</i>	ISO 16649-3 : 2015
	<i>Escherichia coli</i>	3MTM Petrifilm <i>E.coli</i> , AFNOR Certificate No. 3M-01/08-06/01
	Coliforms	3MTM Petrifilm coliforms, AFNOR Certificate No. 3M-01/2-09/89A
	Total Viable Count (TVC)	AOAC (2016) 990.12